

2. Agromet advisories issued by AICRPAM centers during June 2020

Date of issue	Advisory issued for the region	Agromet Advisory issued
05-06-2020	Konkan, Maharashtra	Due to heavy rain and high winds, it is advised to make arrangement to drain out excess water from banana orchard and provide support to plants.
	Assam	Due to cloudy and rainy weather condition, there is a chance of infestation of early shoot borer in sugarcane crop. To control, proper earthing up at the base followed by burying or burning of the infested canes is advised. If infestation is above ETL, spray of Phosphamidon @ 60-70 ml per 120 litre of water/ bigha land in fair weather condition.
	Haryana	For the management of desert locust, farmers are advised to spray Bendiocarb 80% WP @100 g/ha or Diflubenzuron 2.8% EC and 1.2% ULV @ 12.5 g/ha or Fipronil 5% SC and 2.9% EC @ 6.2 g/ha or Malathion 50% EC and 25% WP and 96% ULV @ 926 g/ha.
	South Interior Karnataka	Farmers may go for sowing of long duration mono crop red gram with varieties viz., TTB-7, BRG1, 2, 4 & 5, castor with varieties DCS-9 (Jyothi), DCH-177&32, maize with varieties Ganga-11, Deccan-103, Vijaya composite, Composite NAC-6004, 6002, hybrid-Nityashree
12-06-2020	Vidharbha, Maharashtra	Under prevailing rainy weather condition, farmers are advised to start the land preparation for nursery sowing of <i>kharif</i> rice in Eastern Vidharbha Zone.
	Uttar Pradesh	Due to rainy weather condition, farmers are advised to raise the nursery for medium duration rice with recommended varieties viz., Narendra dhan-359, Malviya dhan-36, Narendra dhan-2064, Narendra dhan-2026 or Hybrid varieties viz., Arize -6444, 6201, PHB-71, KRH-2, PRH-10
	Odisha	Under prevailing rainy weather condition, sowing of ragi in nursery is advised with varieties Divyasingh, AKP-2, AKP-3, AKP-7, Godavari, Neelachal, Bhairavi, Shubhra, and Chilika.
	Jharkhand	Under prevailing weather condition, farmers are advised to complete the threshing and storage of harvested summer rice during clear weather and farmers may go for raising rice seedlings in nursery under assured irrigation facility.

19-06-2020	Kerala	Due to higher relative humidity conditions, there is a severe attack of leaf rust disease in coffee. It is advised to spray Oxycarboxin (Plant vax 20 EC) @ 1 ml/litre or spray Bordeaux mixture (1%).
	North Interior Karnataka	Under prevailing rainy weather condition, sowing of the <i>kharif</i> crops like greengram, redgram, bajra, navane and groundnut (bunch type), castor, onion, chilli are recommended.
	Punjab	Due to prevailing hot weather condition, farmers are advised to irrigate sugarcane crop at 8 to 10 days interval.
	Gujarat	Under prevailing rainy weather condition, sowing of pearl millet is advised. Recommended varieties are GHB-558, GHB-577, GHB-538, GHB-719, GHB-732, GHB-744.
26-06-2020	Marathwada, Maharashtra	If adequate rainfall has been received, sowing of cotton, soybean, pigeon pea, black gram/ green gram, maize, sorghum and pearl millet is advised.
	Jammu	Due to rainy weather condition, transplanting of seasonal annuals like gaillardia, balsam, cosmos, portulaca, kochia, sunflower, morning glory, gomphrena, celosia is advised.
	Andhra Pradesh	Present prevailing weather condition is favourable for incidence of early shoot borer in sugarcane crop. Farmers of North coastal Godavari and Krishna districts are advised to spray Chlorantriliprole @ 0.3g/litre of water.
	Bihar	Because of chances of heavy to very heavy rainfall across many districts of North, Central and North-East Bihar, it is advised that during thunderstorm, farmers should not go to fields to avoid lightning related casualties.
	Himachal Pradesh	Due to increase in day-time temperature, farmers are advised to harvest matured vegetables during morning and evening hours.